
A2 PROSOIL	BOREHOLE NO: 01	Easting: 332273
	LOCATION : Jagodishpur, Habiganj.	Northing: 2671490
PROJECT : TOPGRAPHIC AND GEOTECHNICAL INVESTIGATION AT HABIGANJ, SYLHET, BANGLADESH.	DEPTH OF BORING : 20.0m	R. L. : 7.15m
CLIENT : EQMS Consulting Limited	DATE OF BORING : 28-12-2020 to 29-12-2020	B. W. T : 1.23m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^m PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: 02	Easting: 332127
	LOCATION : Jagodishpur, Habiganj.	Northing: 2671416
PROJECT : TOPGRAPHIC AND GEOTECHNICAL INVESTIGATION AT HABIGANJ, SYLHET, BANGLADESH.	DEPTH OF BORING : 20.0m	R. L. : 6.94m
CLIENT : EQMS Consulting Limited	DATE OF BORING : 29-12-2020 to 30-12-2020	B. W. T : 1.5m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')


PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^m PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: 03	Easting: 332372
	LOCATION : Jagodishpur, Habiganj.	Northing: 2671548
PROJECT : TOPGRAPHIC AND GEOTECHNICAL INVESTIGATION AT HABIGANJ, SYLHET, BANGLADESH.	DEPTH OF BORING : 20.0m	R. L. : 7.21m
CLIENT : EQMS Consulting Limited	DATE OF BORING : 30-12-2020 to 31-12-2020	B. W. T : 1.43m below from E. G. L.

RL/ THICKNESS	SOIL STRATA	BORELOG	SAMPLING FROM (m)	SAMPLING TO (m)	SPT-N Value Blow/300mm N1=150 (mm)	N2=300 (mm)	N3=450 (mm)	N=N2 +N3	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Max^{m} Penetration



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED