A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Bhohor, Gowainghat, Sylhet, (25°00'30.6643" N, 91°49'29.7186" E).	
PROJECT : Bhohor GPS, (Multi-purpose Cyclone Shelter/Govt. Primary School)		DEPTH OF BORING : 24.0m	R. L.: 0.90m below from Road Level.
CLIENT : US Army Corps of Engr, Alaska District. THROUGH : AUSPICIOUS, QA Contractor.		DATE OF BORING : 19-04-2013.	G. W. T : 1.30m below from E.G.L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	SHALE	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	PEAT/HIGHLY ORGANIC SOIL	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS
AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A6	PROSOIL	BOREHOLE NO: BH-1 (SETTLEMENT CALCULATION)
		LOCATION : Bhohor, Gowainghat, Sylhet, (25°00'30.6643" N, 91°49'29.7186" E).
PROJECT : Bhohor GPS, (Multi-purpose Cyclone Shelter/Govt. Primary School)		SHALLOW FOOTING: B: 0.6m, L=0.9m, P=100kpa
CLIENT : US Army Corps of Engr, Alaska District. THROUGH : AUSPICIOUS, QA Contractor.		Shear failure Safety Factor=0.3



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	SHALE	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	PEAT/HIGHLY ORGANIC SOIL	

SETTLEMENT CALCULATION BY SOFTWARE: **NOVO SPT CORRELATION PROGRAM.**