
A2	PROSOIL	Borehole No: A-1	Easting_UTM: 245332	Northing_UTM: 2459519
		Location: Joutha Bridge Dashmina, Patuakhali.		CH : 51+672 km
Name of Project: Lebukhali Bhopal Dashmina Galachipa Amragachhia Road (Z-8052)		Borehole Depth: 60.0m		R. L. : On Road Level
CLIENT: Roads & Highways Department, Patuakhali		Date of Boring: 17-10-2021 to 20-10-2021		B. W. T : 2.8m below from E. G. L.




LEGEND FOR BOREHOLE AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	Borehole No: A-1	Easting_UTM: 245332	Northing_UTM:2459519
		Location: Joutha Bridge Dashmina, Patuakhali.		CH : 51+672 km
Name of Project: Lebukhali Bhopal Dashmina Galachipa Amragachhia Road (Z-8052)		Borehole Depth: 60.0m		R. L. : On Road Level
CLIENT: Roads & Highways Department, Patuakhali		Date of Boring: 17-10-2021 to 20-10-2021		B. W. T : 2.8m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	Borehole No: A-1	Easting_UTM: 245332	Northing_UTM: 2459519
		Location: Joutha Bridge Dashmina, Patuakhali.		CH : 51+672 km
Name of Project: Lebukhali Bhopal Dashmina Galachipa Amragachhia Road (Z-8052)		Borehole Depth: 60.0m		R. L. : On Road Level
CLIENT: Roads & Highways Department, Patuakhali		Date of Boring: 17-10-2021 to 20-10-2021		B. W. T : 2.8m below from E. G. L.

RL/ THICKNESS	SOIL STRATA	BORELOG	SAMPLING FROM (m)	SAMPLING TO (m)	SPT-N Value Blow/300mm 0-150 (mm)	150-300 (mm)	300-450 (mm)	N	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Remarks
31.95m	Gray, loose to very dense, Silty Sand, SM.		58.5	58.95	11	21	24	45	D-39	45	
			60	60.45	13	25	26	51	D-40	51	

RL WITH RESPECT TO TOPOGRAPHIC SURVEY.

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED