A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Shibgonj, Chapai Nawabgonj.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: On Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 23-03-2011.	G. W. T : 3.96m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.0m	Light bluish Gray Gley2 (7/1), very loose to medium dense, Silt, ML.			D-1 to D-5	2, 5, 11, 5, 6		
1.0m	Gray 10YR (5/1), medium plasticity, medium stiff to soft, silty Clay, CL.			D-6	5		
4.5m	Light bluish Gray Gley2 (7/1), loose to dense, Silt, ML.			D-7 to D-10	9, 10, 15, 16		
6.0m	Bluish Gray Gley2 (6/1), medium dense to dense, fine Sand, SM.			D-11 to D-13	15, 15, 16		
4.95m	Bluish Gray Gley2 (6/1), dense, silty Sand, SM.			D-14 to D-17	18, 19, 22, 24		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

- PLASTIC CLAY
- SAND
- SILT
- SHALE
- PEAT/HIGHLY ORGANIC SOIL
- MICACEOUS FINE SAND/SILT
- UNDISTURBED SAMPLE
- DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED