# CLIENT

# GRAMEEN PHONE LTD.

# BORELOG

## SUB-SOIL INVESTIGATION FOR THE PROPOSED TELECOMMUNICATION TOWER AT JOGAIPUR, SHEKHERKOLA, BOGRA SADAR, BOGRA.

## SITE CODE: BO0374_1

## SITE NAME: BOJSP1

**(JULY, 2012)**



**Prosoil Foundation Consultant**
88/B, INDIRA ROAD
DHAKA – 1215
e-mail: prosoil_9@hotmail.com
Fax: (02)-8116405
TEL: 8159707
Mobile: 01711-615-871, 01819-218-230

# A1:LOCATION MAP

## CLIENT: GRAMEENPHONE LTD.


## SHOWING BORING LOCATION

## LOCATION: JOGAIPUR, SHEKHERKOLA, BOGRA SADAR, BOGRA.




PROSOIL FOUNDATION CONSULTANT

| A2 | PROSOIL | BOREHOLE NO: BH-1 | |
|---|---|---|---|
| | | LOCATION: Jogaipur, Shekherkola, Bogra Sadar, Bogra. | |
| PROJECT : Telecommunication Tower. | | DEPTH OF BORING: 21.0m | R. L.: On Road Level. |
| CLIENT : Grameenphone Ltd. | | DATE OF BORING: 30-07-2012. | G. W. T : 3.05m below from E. G. L. |




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND


PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

| A2 | PROSOIL | BOREHOLE NO: BH-2 | |
|---|---|---|---|
| | | LOCATION: Jogaipur, Shekherkola, Bogra Sadar, Bogra. | |
| PROJECT : Telecommunication Tower. | | DEPTH OF BORING: 21.0m | R. L.: On Road Level. |
| CLIENT : Grameenphone Ltd. | | DATE OF BORING: 30-07-2012. | G. W. T : 3.05m below from E. G. L. |




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND


PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

| A2 | PROSOIL | BOREHOLE NO: BH-3 | |
|---|---|---|---|
| | | LOCATION: Jogaipur, Shekherkola, Bogra Sadar, Bogra. | |
| PROJECT : Telecommunication Tower. | | DEPTH OF BORING: 21.0m | R. L.: On Road Level. |
| CLIENT : Grameenphone Ltd. | | DATE OF BORING: 31-07-2012. | G. W. T : 3.05m below from E. G. L. |




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED


BO-0374


BO-0374
Dat- 31-7-2017


BO-0374