A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Kohinur Market, Kaligonj, Gazipur.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: On Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 31-08-2010.	G. W. T : 1.83m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Filling Sand.			D-1, D-2, D-3	2, 4, 7		
2.0m	Light bluish Gray Gley2 (7/1), medium plasticity, very soft to medium stiff, silty Clay, CL.		UD-3, UD-4	D-4, D-5	9, 10		
2.0m	Brown 7.5YR (5/3), medium plasticity, medium stiff to stiff, silty Clay, CL.			D-6, D-7	8, 10		
2.0m	Light Brown 7.5YR (6/3), medium dense, clayey Silt, ML.			D-8, D-9	40, 36		
4.5m	Brown 7.5YR (5/3), medium plasticity, stiff to very stiff, silty Clay, CL.			D-10, D-11, D-12	14, 18, 36		
3.0m	Light brownish Gray 2.5YR (6/2), medium plasticity, stiff to very stiff, silty Clay, CL.			D-13, D-14	46, 48		
4.95m	Brown 7.5YR (5/3), very dense, clayey Silt, ML.			D-15, D-16, D-17	50		Over

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED