A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Notun Pachkitta Bazar, Muradnagar, Comilla.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: On Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 13-03-2014.	B. W. T : 1.52m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.0m	Brown 7.5YR (5/4), Loose, silt, ML.			D-1 to D-4	5, 6, 6, 4		
1.0m	Gray 10YR (6/1), medium plasticity, soft to stiff, Clay, CL.			D-4 to D-5	4, 18		
2.0m	Gray 10YR (6/1), medium plasticity, stiff to very stiff, Clay, CL.			D-5 to D-7	18, 11, 12		
2.0m	Gray 10YR (6/1), medium dense, fine Sand, SM.			D-7 to D-8	12, 15		
4.5m	Gray 10YR (6/1), medium dense to dense, silt, ML.			D-8 to D-10	15, 13, 30		
4.5m	Light Gray 10YR (7/1), high plasticity, stiff to very stiff, Clay, CH.			D-10 to D-12	30, 10, 21		
3.45m	Gray 10YR (6/1), dense to very dense, fine Sand, SM.			D-12 to D-16	21, 26, 30, 35, 40		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED