A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Guadanga, Phulpur, Mymensing.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.99m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 03-03-2012.	G. W. T : 2.74m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light Brown 7.5YR (6/4), loose to medium dense, silty Sand, SM.			D-1 to D-3	6, 8, 10		
6.0m	Light Gray 10YR (7/1), medium dense to very dense, fine Sand, SM.			D-4 to D-8	15, 16, 19, 29, 39		
3.0m	Gray 10YR (6/1), very dense, fine Sand, SM.			D-9 to D-11	37, 36, 33		
9.45m	Light Gray 10YR (7/1), very dense, fine Sand, SM.			D-12 to D-16	48, 45, 50, 50, 50		Over, Over, Over



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED