
A2	PROSOIL	Borehole No: A-2	Easting_UTM: 231314	Northing_UTM: 2457460
		Location: Shuhori Bridge Golachipa, Patuakhali.		CH : 15+373 km
Name of Project: Golachipa-Haridebpur-Badura-Shakharia Road (Z-8804)		Borehole Depth: 60.0m		R. L. : 8.98m
CLIENT: Roads & Highways Department, Patuakhali		Date of Boring: 26-10-2021 to 28-10-2021		B. W. T : 3.5m below from E. G. L.




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	Borehole No: A-2	Easting_UTM: 231314	Northing_UTM:2457460
		Location: Shuhori Bridge Golachipa, Patuakhali.		CH : 15+373 km
Name of Project: Golachipa-Haridebpur-Badura-Shakharia Road (Z-8804)		Borehole Depth: 60.0m		R. L. : 8.98m
CLIENT: Roads & Highways Department, Patuakhali		Date of Boring: 26-10-2021 to 28-10-2021		B. W. T : 3.5m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	Borehole No: A-2	Easting_UTM: 231314	Northing_UTM: 2457460
		Location: Shuhori Bridge Golachipa, Patuakhali.		CH : 15+373 km
Name of Project: Golachipa-Haridebpur-Badura-Shakharia Road (Z-8804)		Borehole Depth: 60.0m		R. L. : 8.98m
CLIENT: Roads & Highways Department, Patuakhali		Date of Boring: 26-10-2021 to 28-10-2021		B. W. T : 3.5m below from E. G. L.

RL/ THICKNESS	SOIL STRATA	BORELOG	SAMPLING FROM (m)	SAMPLING TO (m)	SPT-N Value Blow/300mm 0-150 (mm)	150-300 (mm)	300-450 (mm)	N	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Remarks
10.95m	Gray, very dense, Silty Sand, SM.		58.5	58.95	24	50		50	D-39	50/130	
			60	60.45	20	50		50	D-40	50/150	

RL WITH RESPECT TO TOPOGRAPHIC SURVEY.

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED