A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Barik Bazar, Chapai nawabgonj.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.37m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 03-07-2007.	G. W. T : 0.30m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Light gray 10YR (7/2), loose, cohesionless silt, SM.			D-1	4		
1.0m	Light gray 10YR (7/2), medium plastic, soft to very soft, silty Clay, CL.		UD-2	D-2	3		
1.0m	Light gray 10YR (7/2), very loose to loose, cohesionless silt, SM.			D-3	2		
1.0m	Gray 10YR (6/1), loose, cohesionless silt, SM.			D-4	3		
4.0m	Gray 10YR (6/1), medium plastic, soft to very stiff, silty Clay, CL.			D-5	3		
				D-6	3		
				D-7	4		
1.5m	Gray 10YR (6/1), very dense, fine sand SM.			D-8	32		
3.0m	Gray 10YR (5/1), medium plastic, very stiff to medium stiff, silty Clay, CL.			D-9	37		
				D-10	7		
				D-11	8		
3.0m	Light gray 10YR (7/1), medium plastic, medium stiff to very stiff, silty Clay, CL.			D-12	11		
				D-13	17		
1.5m	Very pale brown 10YR (7/3), dense, cohesionless silt, SM.			D-14	21		
3.45m	Very pale brown 10YR (7/3), dense to very dense, fine sand, SM.			D-15	27		
				D-16	33		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED