A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Satontoli, Sundarganj, Gaibandha.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.37m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 31-07-2007.	G. W. T : 0.30m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Grayish brown 10YR (6/3), medium plastic, soft to medium stiff, silty Clay, CL.		UD-1	D-1	3		
2.0m	Very pale brown 10YR (7/3), medium dense to dense, fine sand, SM.			D-2	9		
				D-3	14		
				D-4	26		
				D-5	30		
				D-6	32		
				D-7	35		
				D-8	33		
				D-9	36		
				D-10	38		
17.45m	Gray 10YR (5/1), dense to very dense, fine sand, SM.			D-11	40		
				D-12	43		
				D-13	46		
				D-14	50		Over
				D-15	50		Over
				D-16	50		Over

0 10 20 30 40 50 60 70 80 0 20 40 60 80 100

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED