A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Niamoti Bandar, Bakerganj, Barishal.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 19.95m	R. L.: 1.93m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 26-03-2005	G. W. T : 2.21m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
4.0m	Gray colour 10YR (5/1), medium plastic, very soft, silty Clay, CL.			D-1 to D-3	2, 1, 2		
2.0m	Gray colour 10YR (5/1), non plastic, loose, sandy Silt, SM.			D-4 to D-5	3, 4		
4.5m	Gray colour 10YR (5/1), loose, to medium dense, silty Sand, SM.			D-6 to D-9	5, 5, 7, 10		
9.45m	Gray colour 10YR (5/1), medium dense to very dense, fine sand, SM.			D-10 to D-15	13, 15, 18, 22, 28, 37		



ID FOR BOREHOLOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED