A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Dharmapasha, Sunamganj.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 0.91m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 24-07-2005	G. W. T : 0.0m from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
3.0m	Brown 10YR (5/3), low plastic, very soft, clayey Silt, ML.			D-1 D-2 D-3	1 1 7		
2.0m	Light gray 10YR (7/1), medium dense, fine sand, SM.			D-4 D-5	8 6		
1.0m	Pale brown 10YR (6/3), medium plastic, medium stiff, silty Clay, CL.			D-6	1		
1.5m	Dark gray 10YR (4/1), medium plastic, very soft, silty Clay, CL.			D-7	4		
1.5m	Dark grayish brown 10YR (4/2), medium plastic, soft, silty Clay, CL.			D-8 D-9	24 20		
7.5m	Light gray 10YR (7/1), medium dense to dense, fine Sand, SM.			D-10 D-11 D-12	18 22 30		
4.95m	Light gray 10YR (6/2), very dense, fine sand, SM.			D-13 D-14 D-15 D-16	32 35 38 42		

0 10 20 30 40 50 60 70 80 | 0 20 40 60 80 100

ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED