A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Jangalia, Delduar, Tangail.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.82m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 31-07-2007.	G. W. T : 1.21m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light gray 10YR (7/2), low plastic, soft, clayey Silt, ML.			D-1 to D-3	3, 4, 4		
1.0m	Light gray 10YR (7/2), loose to medium dense, cohesionless silt, SM.			D-4	15		
5.0m	Light gray 10YR (7/2), medium dense to very dense, fine sand, SM.			D-5 to D-8	17, 19, 28, 40		
12.45m	Light gray 10YR (7/1), very dense, fine sand, SM.			D-9 to D-16	35, 38, 41, 43, 46, 48, 50, 50		Over, Over



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED