A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Jodda Bazar, Comilla.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 15.0m	R. L.: On Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 29-03-2010.	G. W. T : 3.05m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.0m	Light bluish Gray Gley2 (7/1), loose to medium dense Silt, ML.			D-1 to D-5	5, 7, 5, 6, 13		
5.5m	Light bluish Gray Gley2 (7/1), medium dense to very dense, silty Sand, SM.			D-6 to D-9	16, 29, 31, 33		
4.95m	Light bluish Gray Gley2 (7/1), very dense, fine Sand, SW.			D-10 to D-12	35, 48, 50		Over
6.0m	Boring was not possible due to very dense fine Sand.			D-13	50		Over

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

- PLASTIC CLAY
- SAND
- SILT
- SHALE
- PEAT/HIGHLY ORGANIC SOIL
- MICACEOUS FINE SAND/SILT
- UNDISTURBED SAMPLE
- DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED