A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Sankarpasa, Charbhatpara, Kashini, Gopalgonj.	
PROJECT : Proposed Three Storied Building.		DEPTH OF BORING : 15.0m	R. L.: 0.30m below from Road Level.
CLIENT : Md. Dilir Hossain.		DATE OF BORING : 05-12-2009.	G. W. T : 4.88m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.0m	Very pale brown 10YR (8/4), loose to medium dense, cohesionless Silt, SM.			D-1 to D-5	4, 5, 4, 5, 6		
1.0m	Gray 10YR (5/1), medium plastic, soft to medium stiff, silty Clay, CL.			D-6	4		
1.5m	Gray 10YR (5/1), loose to medium dense, cohesionless Silt, SM.			D-7	11		
1.5m	Gray 10YR (5/1), loose to medium dense, fine Sand, SM.			D-8	18		
3.0m	Light gray 10YR (7/1), medium dense, fine Sand, SM.			D-9, D-10	18, 20		
3.45m	White 10YR (8/1), dense to very dense, fine Sand, SM.			D-11, D-12	26, 34		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED