A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Chorbaghdanga Bazar, Sadar, Chapai Nawabganj.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.90m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 18-09-2012.	G. W. T : 3.66m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.0m	Gray 10YR (6/1), loose to medium dense, silty Sand, SM.			D-1 to D-5	6, 6, 7, 8, 10		
16.45m	Light Gray 10YR (7/1), very dense, coarse Sand, SM.			D-6 to D-16	16, 23, 25, 47, 37, 45, 50, 36, 35, 40, 42		Over



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SHALE	SILT	SAND
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED