A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Jamal Nagar, Asasuni, Shatkhira.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 21.0m	R. L.: 1.21m below from Road Level.
CLIENT : Grameen Phone Ltd.		DATE OF BORING : 01-01-2006	G. W. T : 0.61m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
4.0m	Gray 10YR(6/1), very soft, medium plastic, silty Clay, CL.		UD-1, UD-2, UD-3	D-1, D-2, D-3	1, 1, 1		
1.0m	Gray 10YR(6/1), loose, sandy Silt, SM.			D-4, D-5	4, 2		
1.0m	Gray 10YR (6/1), very loose, cohesionless Silt, SM.			D-6	6		
3.0m	Gray 10YR (6/1), medium dense, sandy Silt, SM.			D-7, D-8	8, 2		
1.5m	Gray 10YR (6/1), very loose, cohesionless silt, SM.			D-9	13		
1.5m	Light gray 10YR (7/1), medium dense, fine Sand, SM.			D-10	6		
1.5m	Gray 10YR (6/1), medium dense, cohesionless silt, SM.			D-11	10		
1.5m	Gray 10YR (6/1), medium dense, sandy Silt, SM.			D-12	18		
6.45m	Light gray 10YR (7/2), dense, fine Sand, SM.			D-13, D-14, D-15, D-16	21, 22, 24, 26		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED