A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Moksidpur, Gopalgonj.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.98m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 04-07-2007.	G. W. T : 0.45m above from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Light gray 10YR (7/1), loose to very loose, cohesionless silt, SM.			D-1	4		
2.0m	Gray 10YR (5/1), medium plastic, very soft to soft, silty Clay, CL.		UD-2	D-2	1		
			UD-3	D-3	2		
				D-4	4		
3.5m	Gray 10YR (6/1), loose to medium dense, cohesionless silt, SM.			D-5	7		
				D-6	8		
				D-7	10		
4.5m	Gray 10YR (6/1), medium dense to dense, fine sand, SM.			D-8	12		
				D-9	28		
				D-10	24		
				D-11	26		
				D-12	31		
9.45m	Light gray 10YR (7/1), medium dense to very dense, fine sand, SM.			D-13	33		
				D-14	35		
				D-15	37		
				D-16	40		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED