
A2 PROSOIL		**BOREHOLE NO: 01**	**Easting: 332273**
		LOCATION : Jagodishpur, Habiganj.	**Northing: 2671490**
PROJECT : Topographic and Geotechnical Investigation for PEPSICO at Habiganj, Sylhet, Bangladesh.		**DEPTH OF BORING : 20.0m**	**R. L. : 7.15m**
CLIENT : EQMS Consulting Limited		**DATE OF BORING : 28-12-2020 to 29-12-2020**	**B. W. T : 1.23m below from E. G. L.**



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^m PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 **PROSOIL**	**BOREHOLE NO: 02**	**Easting: 332127**
	LOCATION : Jagodishpur, Habiganj.	**Northing: 2671416**
PROJECT : Topographic and Geotechnical Investigation for PEPSICO at Habiganj, Sylhet, Bangladesh.	**DEPTH OF BORING : 20.0m**	**R. L. : 6.94m**
CLIENT : EQMS Consulting Limited	**DATE OF BORING : 29-12-2020 to 30-12-2020**	**B. W. T : 1.5m below from E. G. L.**

RL/ THICKNESS	SOIL STRATA	BORELOG	SAMPLING FROM (m)	SAMPLING TO (m)	SPT-N Value Blow/300mm N1=150 (mm)	N2=300 (mm)	N3=450 (mm)	N=N2 +N3	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Max^{m} Penetration
3.0m	Brown, soft, Lean Clay, CL.		1.5	1.95	1	1	1	2	D-1	2	
			3	3.45	1	1	1	2	D-2	2	
1.5m	Gray, soft, Fat Clay, CH.		4.5	4.95	1	1	1	2	D-3	2	
1.5m	Dark Gray, soft, High Plastic Organic Clay, OH.								UD-1		
1.5m	Light Gray, medium dense, Silty Sand, SM.		6	6.45	2	6	7	13	D-4	13	
4.5m	Gray to Brown, very soft to stiff, Lean Clay, CL.		7.5	7.95	1	1	2	3	D-5	3	
			9	9.45	1		1	1	D-6	1	
									UD-2		
			10.5	10.95	3	4	11	15	D-7	15	
7.5m	Light Gray to Gray, medium dense to very dense, Poorly graded Sand with silt, SP-SM.		12	12.45	10	19	27	46	D-8	46	
			13.5	13.95	3	8	27	35	D-9	35	
			15	15.45	31	50		50	D-10	50/50	
			16.5	16.95	3	7	14	21	D-11	21	
			18	18.45	3	7	10	17	D-12	17	
0.45m	Gray, very stiff, Sandy Lean Clay, CL.		19.5	19.95	4	10	12	22	D-13	22	

RL WITH RESPECT TO TOPOGRAPHIC SURVEY.

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')


PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: 03	Easting: 332372
	LOCATION : Jagodishpur, Habiganj.	Northing: 2671548
PROJECT : Topographic and Geotechnical Investigation for PEPSICO at Habiganj, Sylhet, Bangladesh.	DEPTH OF BORING : 20.0m	R. L. : 7.21m
CLIENT : EQMS Consulting Limited	DATE OF BORING : 30-12-2020 to 31-12-2020	B. W. T : 1.43m below from E. G. L.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^m PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED