A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Kalihati, Tangail.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.21m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 06-06-2005	G. W. T : 1.88m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
2.0m	Grayish brown colour 2.5Y (5/2), medium dense, fine sand, SM.			D-1 to D-2	7, 1		
1.0m	Grayish brown colour 2.5Y (5/2), very loose, silty Sand, SM.			D-2 to D-3	1, 2		
1.0m	Very dark gray colour 2.5Y (3/1), organic, soil.			D-3 to D-4	2, 18		
6.5m	Gray colour 2.5Y (5/1), dense, fine sand, SM.			D-4 to D-9	18, 19, 23, 23, 19, 29		
10.95m	Light gray colour 2.5Y (7/1), dense to very dense, fine sand, SM.			D-9 to D-16	29, 36, 48, 50, 50, 50, 50, 50		over



ID FOR BOREHOLE A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED