A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Char Chenga Land, Hatiya, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 21.0m	R. L.: 1.20m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 11-10-2009.	G. W. T : 0.15m above from E. G. L.(Rain water)

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Very pale brown 10YR (8/3), loose, silty Sand, SM.			D-1 to D-3	1: 4, 2: 3, 3: 3		
7.5m	Gray 10YR (6/1), loose to medium dense, fine sand, SM.			D-4 to D-9	4: 4, 5: 5, 6: 15, 7: 12, 8: 12, 9: 14		
10.95m	Gray 10YR (6/1), medium plastic, soft to medium stiff, silty Clay, CL.			D-10 to D-17	11: 6, 12: 5, 13: 4, 15: 4, 17: 3, 18: 4, 19: 6, 21: 7		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

- PLASTIC SILTY CLAY
- LOW PLASTIC CLAYEY SILT
- NON PLASTIC SILT
- SAND
- ORGANIC
- UNDISTURBED SAMPLE
- DISTURBED SAMPLE
- SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-2	
		LOCATION : Char Chenga Land, Hatiya, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 21.0m	R. L.: 1.20m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 11-10-2009.	G. W. T : 0.15m above from E. G. L.(Rain water)



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY | LOW PLASTIC CLAYEY SILT | NON PLASTIC SILT | SAND

ORGANIC | UNDISTURBED SAMPLE | DISTURBED SAMPLE | SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	BOREHOLE NO: BH-3	
		LOCATION : Char Chenga Land, Hatiya, Noakhali.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 21.0m	R. L.: 1.20m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 11-10-2009.	G. W. T : 0.15m above from E. G. L.(Rain water)

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Very pale brown 10YR (8/3), loose, silty Sand, SM.			D-1 to D-3	5, 4, 4		
7.5m	Gray 10YR (6/1), loose to medium dense, fine sand, SM.			D-4 to D-9	6, 8, 7, 14, 10, 12		
10.95m	Gray 10YR (6/1), medium plastic, soft to medium stiff, silty Clay, CL.			D-10 to D-17	7, 6, 4, 6, 4, 7, 5, 9		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED