A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION: Mayer bazaar, Ranikhai, Kompaniganj, Sylhet.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING: 5.0m	R. L.: 1.52m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING: 11-12-2010.	G. W. T : 0.08m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.45m	Gray 10YR (6/1), dense to very dense, fine sand with pebble and cobbel size grain, SP.			D-1, D-2, D-3, D-4, D-5	30, 50, 50, 50		Over, Over, Over, Over
16.0m	Boring was not possible due to very dense very coarse Sand.						

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED