A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Charar Kolmi, Mazer Char, Char Fashion, Bhola.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.61m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 03-02-2012.	G. W. T : 3.05m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Brown 7.5YR (5/4), loose to medium dense, Silt, ML.			D-1 to D-3	6, 8, 4		
3.0m	Gray 10YR (6/1), loose to medium dense, Silt, ML.			D-4 to D-6	5, 5, 10		
15.45m	Gray 10YR (6/1), medium dense to very dense, fine Sand, SM.			D-7 to D-16	24, 23, 14, 26, 28, 27, 27, 30, 31, 29		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED