A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Ujanchar, B. Baria.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.90m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 11-12-2010.	G. W. T : 2.44m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Light Gray 10YR (7/1), medium dense to very loose, fine Sand, SM.			D-1	8		
				D-2	1		
2.0m	Gray 10YR (6/1), very loose to medium dense, Silt, ML.			D-3	1		
				D-4	9		
				D-5	8		
				D-6	7		
				D-7	10		
				D-8	13		
				D-9	17		
				D-10	14		
17.45m	Light Gray 10YR (7/1), medium dense to very dense, fine Sand, SM.			D-11	12		
				D-12	24		
				D-13	32		
				D-14	18		
				D-15	15		
				D-16	18		
				D-17	30		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED