A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Goneshampur, Montola, Mymensingh.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.37m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 03-08-2007.	G. W. T : 0.76m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Light gray 10YR (6/2), very loose to medium dense, cohesionless Silt, SM.			D-1 to D-2	1, 8		
3.0m	Light gray 10YR (6/2), medium dense, silty Sand, SM.			D-2 to D-5	8, 11, 12, 13		
5.5m	Gray 5YR (6/1), medium dense to dense, fine sand, SM.			D-5 to D-9	13, 17, 14, 14, 30		
10.95m	Light gray 10YR (6/2), dense to very dense, fine sand, SM.			D-9 to D-16	30, 35, 38, 37, 40, 43, 46, 50		Over

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED