A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Nasirnagar Upazila field, B.Baria.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 20.0m	R. L.: 0.76m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 13-01-2005	G. W. T : 1.82m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light olive brown colour 2.5Y (5/3), medium dense to dense, silty Sand, SM.			D-1 D-2 D-3	11 20 20		
2.0m	Gray colour 2.5Y (6/1), dense, silty Sand, SM.			D-4 D-5 D-6	25 23 17		
5.5m	Gray colour 2.5Y (5/1), dense, silty Sand, SM.			D-7 D-8 D-9	28 23 28		
9.45m	Gray colour 2.5Y (5/1), dense to very dense, fine sand, SM.			D-10 D-11 D-12 D-13 D-14 D-15	34 36 39 41 41 43		



ID FOR BOREHOLE A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED