A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Ujnihat, Moksedpur, Gopalganj.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 2.74m below from Road Level.
CLIENT : Grameen phone Ltd.	DATE OF BORING : 01-12-2005	G. W. T : 0.3m above from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Pale brown 2.5Y (7/3), medium plastic, soft, silty Clay, CL.		UD-1, UD-2	D-1, D-2, D-3	5, 5, 3		
1.0m	Gray 10YR (6/1), low plastic, soft, clayey Silt, ML.						
1.0m	Gray 10YR (6/1), medium plastic, soft, silty Clay, CL.		UD-4	D-4, D-5	3, 5		
1.0m	Gray 10YR (6/1), low plastic, soft, clayey Silt, ML.						
3.0m	Light gray 10YR (7/1), medium dense, sandy Silt, SM.			D-6, D-7, D-8	7, 6, 5		
1.5m	Gray 10YR (6/1), medium dense, cohesionless silt, SM.			D-9	6		
4.5m	Gray 10YR (6/1), medium dense, silty Sand, SM.			D-10, D-11, D-12	10, 11, 13		
4.5m	Gray 10YR (6/2), medium dense, silty Sand, SM.			D-13, D-14, D-15	12, 13, 15		
1.95m	Gray 10YR (6/1), medium plastic, very stiff, silty Clay, CL.			D-16	21		

0 10 20 30 40 50 60 70 80 0 20 40 60 80 100

ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED