A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Dakshin Hatir Para, Alirgoan, Gowainghat, Syhlet.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.52m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 13-12-2014.	B. W. T : 0.30m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.0m	Brown 7.5YR (5/2), medium plasticity, very soft to stiff, silty Clay, CL.		UD-1, UD-2, UD-3	D-1 to D-4	1, 2, 5, 6		
7.0m	Gray 7.5YR (5/1), medium plasticity, stiff to very stiff, silty Clay, CL.			D-4 to D-8	6, 14, 18, 23, 15		
4.5m	Gray 7.5YR (5/1), dense to very dense, silty Sand, SM.			D-8 to D-12	15, 24, 24, 27, 38		
4.95m	Light Gray 10YR (7/1), dense to very dense, fine Sand, SM.			D-12 to D-16	38, 41, 48, 50, 50		OVER, OVER

YL

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED