A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Ghungadiya, kazir bazar,Bianibazar,Sylhet.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 12.0m	R. L.: 0.40m above from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 31-08-2012.	G. W. T : 0.90m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Grayish Brown 10YR (5/2), medium plasticity, very soft, Clay, CL.		UD-1, UD-2, UD-3	D-1, D-2, D-3	1, 1, 1		
3.0m	Pale Brown 10YR (7/3), medium plasticity, very soft to medium stiff, Clay, CL.		UD-4	D-4, D-5, D-6	1, 2, 7		
1.5m	Grayish Brown 10YR (5/2), medium dense, clayey Silt, ML.			D-7	10		
4.95m	Gray 10YR (5/2), very dense, Silt, ML.			D-8, D-9, D-10	50, 50, 50		Over, Over, Over
	Boring was terminated due to very dense Silt.						

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED