A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Dharmpur, Godagari, Rajshahi.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.07m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 27-07-2013.	G. W. T : 2.44m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.0m	Light Gray 10YR (7/1), very loose to loose, clayey Silt, ML.			D-1 to D-4	1, 3, 4, 3		
15.5m	Gray 10YR (6/1), medium plasticity, very soft to stiff, silty Clay, CL.		UD-4	D-4 to D-15	3, 5, 4, 3, 2, 4, 3, 4, 4, 8, 11, 12		
1.95m	Brown 7.5YR (5/3), medium dense, silty Sand, SM.			D-15 to D-16	12		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED