A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : Kalibari Bazar, Kaligonj, Satkhira.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING : 30.0m	R. L.: 0.76m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING : 14-08-2009.	G. W. T : 0.20m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light gray 10YR (7/1), loose to very loose, cohesionless silt, SM.			D-1 D-2 D-3	3 3 1		
2.0m	Gray 10YR (6/1), very loose, cohesionless silt, SM.			D-4 D-5	1 2		
3.0m	Gray 10YR (6/1), medium plastic, very soft, silty Clay, CL.			D-6 D-7 D-8	1 1 2		
4.0m	Gray 10YR (6/1), very loose to medium dense, cohesionless silt, SM.			D-9 D-10	2 2		
1.5m	Gray 10YR (6/1), medium dense to dense, fine sand, SM.			D-11	10		
7.5m	Gray 10YR (6/1), dense, cohesionless silt, SM.			D-12 D-13 D-14 D-15 D-16 D-17	16 20 16 15 20 25		
1.5m	Gray 10YR (6/1), medium dense to dense, fine sand, SM.			D-18	20		
3.0m	Gray 10YR (6/1), dense to medium dense, cohesionless silt, SM.			D-19 D-20	21 8		
3.0m	Gray 10YR (6/1), medium dense, cohesionless silt, SM.			D-21 D-22	7 9		
1.95m	Gray 10YR (6/1), medium plastic, medium stiff, silty Clay, CL.			D-23	11		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED