A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Bakhunda, Faridpur.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 0.91m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 29-08-2005	G. W. T : 1.37m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
3.0m	Very pale brown 10YR (7/4), very loose to loose, silty Sand, SM.			D-1, D-2, D-3	2, 4, 1		
2.0m	Very pale brown 10YR (7/3), medium plastic, very soft, silty Clay, CL.		UD-3, UD-4	D-3, D-4	1, 1		
1.0m	Light gray 10YR (7/2), low plastic, very soft, clayey Silt, ML.			D-5, D-6	1, 8		
1.5m	Light gray 10YR (7/2), medium plastic, medium stiff, silty Clay, CL.			D-7	1		
1.5m	Gray 10YR (6/1), very loose, silty Sand, SM.			D-8	2		
3.0m	Gray 10YR (6/1), low plastic, very soft to soft, clayey Silt, ML.			D-9, D-10	3, 6		
1.5m	Gray 10YR (6/1), loose, silty Sand, SM.			D-11	16		
7.95m	Light gray 10YR (7/2), dense, fine sand, SM.			D-12, D-13, D-14, D-15, D-16	24, 19, 21, 23, 9		



ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED