A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Sherpur Sadar LSD No.1.	
PROJECT : Construction of office of the District Controller of Food, Sherpur.	DEPTH OF BORING : 30.0m	R. L.: On Road Level.
CLIENT : Director General of Food.	DATE OF BORING: 19-11-2011.	G. W. T : 0.90m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light Gray 10YR (7/1), loose, clayey Silt, ML.			D-1, D-2	4, 3		
3.0m	Gray 10YR (6/1), medium plasticity, soft to very soft, Clay, CL.		UD-2, UD-3, UD-4	D-3, D-4	2, 7		
3.0m	Gray 10YR (6/1), low plasticity, medium stiff, Clay, CL.			D-5, D-6	5, 11		
1.5m	Light Gray 10YR (7/1), medium dense loose, clayey Silt, ML.			D-7	3		
6.0m	Brown 7.5YR (5/4), medium plasticity, soft to medium stiff, silty Clay, CL.			D-8, D-9, D-10, D-11	5, 11, 9, 9		
1.5m	Brown 7.5YR (5/4), medium dense to dense, clayey Silt, ML.			D-12	19		
6.0m	Brown 7.5YR (5/4), dense to very dense, silty Sand, SM.			D-13, D-14, D-15	39, 37, 50		Over
4.5m	Brown 7.5YR (5/4), very dense, fine Sand, SM.			D-16, D-17, D-18, D-19	50, 50, 50, 50		Over, Over, Over, Over
1.95m	Light Gray 10YR (7/1), very dense, fine Sand, SM.			D-20	50		Over

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	SHALE	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	PEAT/HIGHLY ORGANIC SOIL	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS
AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED