A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Bagbari, Chengar Char, Chandpur.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.60m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 23-03-2012.	G. W. T : 0.97m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Very dark Gray 7.5YR (3/1), medium plasticity, very soft to medium stiff, Clay, CL.		UD-1, UD-2	D-1, D-2, D-3	1, 1, 7		
5.0m				D-4, D-5, D-6, D-7	8, 9, 9, 9		
18.45m	Gray 10YR (6/1), medium dense to dense, fine Sand, SM.			D-8, D-9, D-10, D-11, D-12, D-13, D-14, D-15, D-16	11, 14, 14, 14, 15, 18, 20, 22, 24		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED