A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Hasmot Bazar, Rajapur, Udaypur, 8 no. Basantapur, Rajbari sadar, Rajbari.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.45m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 23-02-2012.	G. W. T : 2.44m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light Gray 10YR (7/1), low plasticity, soft, silty Clay, CL.		UD-1, UD-2	D-1, D-2, D-3	3, 4, 5		
1.0m	Light Gray 10YR (7/1), loose, silty Sand, SM.		UD-4	D-4	4		
2.0m	Light Gray 10YR (7/1), low plasticity, soft, silty Clay, CL.			D-5, D-6	5, 4		
3.0m	Gray 10YR (6/1), medium plasticity, very soft to medium stiff, silty Clay, CL.			D-7, D-8	2, 9		
9.0m	Gray 10YR (6/1), medium dense to dense, fine Sand, SM.			D-9, D-10, D-11, D-12, D-13	21, 14, 15, 18, 14		
3.0m	Gray 10YR (6/1), medium dense to very dense, Silt, ML.			D-14, D-15	8, 10		
0.45m	Gray 10YR (6/1), very dense, fine Sand, SM.			D-16	34		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED