A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Gatail, Tangail.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 20.0m	R. L.: 1.98m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 27-10-2004	G. W. T : 0.30m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Brown colour 10YR (4/3), loose, fine sand.			D-1 D-2	5 7		
3.0m	Brown colour 10YR (5/3), medium dense, fine sand.			D-3 D-4	10 7		
1.0m	Dark yellowish brown colour 10YR (4/4), mica sand.			D-5	5		
1.5m	Brown colour 10YR (5/3), medium dense, fine sand.			D-6	12		
6.0m	Light brownish gray colour 10YR (6/2 medium dense to dense, fine sand.			D-7 D-8 D-9 D-10 D-11	11 12 15 18 21		
1.5m	Grayish brown colour 10YR (5/2), dense, fine sand.			D-12	17		
1.5m	Light brownish gray colour 10YR (6/2 dense, fine sand.			D-13	24		
3.45m	Gray colour 10YR (5/1), dense, fine Sand.			D-14 D-15	29 32		

ID FOR BOREL OG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED