A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Chandrakona, Nokla, Sherpur.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.40m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 31-05-2005	G. W. T : 5.03m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
3.0m	Pinkish gray colour 5YR (6/2), very loose, sandy Silt, SM.			D-1 D-2 D-3	1, 2, 5		
3.0m	Grayish brown colour 2.5Y (5/2), loose to medium dense, silty Sand, SM.			D-4 D-5 D-6	6, 8, 11		
3.0m	Grayish brown colour 2.5Y (5/2), medium dense, fine sand, SM.			D-7	10		
1.5m	Gray colour 2.5Y (6/1), dense, fine sand, SM.			D-8 D-9	21, 26		
10.95m	Light brownish gray colour 2.5Y (6/2), dense to very dense, fine sand, SM.			D-10 D-11 D-12 D-13 D-14 D-15 D-16	28, 30, 32, 36, 38, 40, 41		

0 10 20 30 40 50 60 70 80 0 20 40 60 80 100

ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED