A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Kotalipara, Gopalganj.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 20.0m	R. L.: 1.93m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 29-01-2005	G. W. T : 1.09m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Light brownish gray colour 10YR (6/2), medium plastic, soft, silty Clay, CL.			D-1	5		
				D-2	4		
4.0m	Gray colour 10YR (5/1), non plastic, loose to medium dense, sandy Silt, SM.			D-3	7		
				D-4	5		
				D-5	9		
4.5m	Gray colour 10YR (5/1), medium dense, silty Sand, SM.			D-6	13		
				D-7	14		
				D-8	14		
1.5m	Gray colour 10YR (5/1), non plastic, loose, sandy Silt, SM.			D-9	5		
3.0m	Gray colour 10YR (5/1), medium dense, silty Sand, SM.			D-10	12		
				D-11	13		
				D-12	19		
4.95m	Gray colour 10YR (5/1), medium dense to very dense, fine sand, SM.			D-13	21		
				D-14	14		
				D-15	36		



ID FOR BOREHOLE A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED