A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION: Vhati Ghagra, Charghagra, Kotowali, Mymensing.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING: 21.0m	R. L.: 0.91m below from Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING: 13-12-2010.	G. W. T : 2.74m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
9.0m	Greenish Gray Gley1 (5/1), loose to medium dense, fine Sand, SM.			D-1 to D-7	4, 9, 8, 9, 10, 10, 11		
4.5m	Dark greenish Gray Gley2 (4/1), medium plasticity, soft to medium stiff, silty Clay, CL.			D-8 to D-11	5, 4, 6, 7		
3.0m	Light olive Brown 2.5YR (5/6), high plasticity, medium stiff to soft, Clay, CH.			D-12 to D-13	8, 5		
4.95m	Dark greenish Gray Gley2 (4/1), medium plasticity, soft to stiff, silty Clay, CL.			D-14 to D-16	3, 10, 12		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED