A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Sreenagar Bazar, Mirzagonj, Patuakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 25.5m	R. L.: Road Level.
CLIENT : Grameenphone Ltd.	DATE OF BORING : 05-07-2008.	G. W. T : 0.76m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Brown 10YR (5/3), medium dense to very loose, cohesionless silt, SM.			D-1, D-2	7, 2		
4.0m	Gray 10YR (6/1), medium plastic, very soft to soft, silty Clay, CL.		UD-2, UD-3, UD-4	D-3, D-4, D-5, D-6	1, 2, 2, 5		
3.0m	Gray 10YR (6/1), loose to dense, cohesionless silt, SM.			D-7, D-8	7, 16		
3.0m	Gray 10YR (6/1), dense to medium dense, silty Sand, SM.			D-9, D-10	10, 8		
1.5m	Gray 10YR (6/1), medium dense, cohesionless silt, SM.			D-10, D-11	8, 11		
4.5m	Gray 10YR (6/1), medium dense to dense, silty Sand, SM.			D-12, D-13, D-14	13, 17, 23		
7.95m	Gray 10YR (6/1), dense to very dense, fine sand, SM.			D-15, D-16, D-17, D-18, D-19	32, 35, 40, 45, 48		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED