A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Bahadurabad Bazar, Jamalpur.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.91m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 12-07-2010.	G. W. T : 0.46m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Brown 10YR (5/3), very loose to medium dense, Silt, ML.			D-1	1		
1.0m	Bluish Gray Gley2 (6/1), medium dense, fine Sand, SM.			D-2	7		
3.0m	Yellowish Brown 10YR (5/4), medium dense, fine Sand, SM.			D-3	9		
				D-4	7		
				D-5	8		
				D-6	9		
				D-7	16		
				D-8	22		
				D-9	32		
				D-10	32		
				D-11	33		
15.45m	Light bluish Gray Gley2 (7/1), medium dense to very dense, fine Sand, SM.			D-12	35		
				D-13	38		
				D-14	41		
				D-15	41		
				D-16	43		
				D-17	46		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED