A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Singer Bill, B. Baria.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.21m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 31-10-2005	G. W. T : 1.21m below from E.G.L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Remarks
3.0m	Dark yellowish brown 10YR (4/6), medium plastic, soft to stiff, silty Clay, CL.		UD-1, UD-2, UD-3	D-1, D-2, D-3	5, 10, 12		
3.0m	Yellowish brown 10YR (5/6), medium plastic, stiff, silty Clay, CL.		UD-4	D-4, D-5, D-6	13, 15, 10		
3.0m	Light yellowish brown 10YR (6/4), medium plastic, stiff, silty Clay, CL.			D-7, D-8	13, 15		
3.0m	Brownish yellow 10YR (6/6), low plastic, very stiff, clayey silt, ML.			D-9, D-10	22, 28		
4.5m	Light yellowish brown 10YR (6/4), dense, fine sand, SM.			D-11, D-12, D-13	30, 33, 33		
4.95m	Pale brown 10YR (7/3), very dense, fine sand, SM.			D-14, D-15, D-16	35, 38, 43		



ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED