| A2 PROSOIL | BOREHOLE NO: BH-1 | |
|---|---|---|
| | LOCATION : Hut Fatepur, Mirzapur, Tangail. | |
| PROJECT : Telecommunication Tower. | DEPTH OF BORING : 21.0m | R. L.: 1.37m below from Road Level. |
| CLIENT : Grameen Phone Ltd. | DATE OF BORING : 15-07-2005 | G. W. T : 3.05m below from E.G.L. |

| THICKNESS | SOIL STRATA | BORELOG | UNDISTURBED SAMPLE | DISTURBED SAMPLE | DEPTH (m) SPT VALUES ( BLOWS / 300mm ) | Grain Size Distribution, % Clay %, Silt %, Sand % | Remarks |
|---|---|---|---|---|---|---|---|
| 3.0m | Light gray 10YR (7/1), medium dense, silty sand, SM. | | | D-1 to D-3 | 10, 9, 5 | | |
| 1.0m | Gray 10YR (6/1), loose, fine sand with mica, SM. | | | D-4 | 7 | | |
| 3.5m | Gray 10YR (5/1), loose to medium dense, silty Sand, SM. | | | D-5 to D-6 | 3, 10 | | |
| 1.5m | Gray 10YR (5/1), medium dense, fine sand, SM. | | | D-7 to D-8 | 12, 12 | | |
| 3.0m | Light gray 10YR (7/1), medium dense to dense, fine sand, SM. | | | D-9 to D-10 | 16, 40 | | |
| 9.45m | Light gray 10YR (6/1), very dense, fine sand, SM. | | | D-11 to D-16 | 41, 50, 50, 50, 50, 50 | | over |




ID FOR BOREHOLE A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED