
A2	PROSOIL	Borehole No: A-1	
		Location: Nazir Mistri Bailey Bridge, Kabirhat Noakhali.	CH : 12+840 km
Name of Project: Nazir Mistri Bailey Bridge, at (CH: 12+840 km) Banglabazar-Thanarhat-Aktermiarhat (Kabirhat) Road (Z-1454).		Borehole Depth: 51.0m	R. L. : 11.61m
CLIENT: Roads & Highways Department, Noakhali.		Date of Boring: 03-11-2021 to 05-11-2021	B. W. T : 2.0m below from E. G. L.



LEGEND FOR BOREHOLE AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SILT	PEAT/HIGHLY ORGANIC SOIL	UNDISTURBED SAMPLE
MICACEOUS FINE SAND/SILT	SAND	SHALE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2	PROSOIL	Borehole No: A-1	
		Location: Nazir Mistri Bailey Bridge, Kabirhat Noakhali.	CH : 12+840 km
Name of Project: Nazir Mistri Bailey Bridge, at (CH: 12+840 km) Banglabazar-Thanarhat-Aktermiarhat (Kabirhat) Road (Z-1454).		Borehole Depth: 51.0m	R. L. : 11.61m
CLIENT: Roads & Highways Department, Noakhali.		Date of Boring: 03-11-2021 to 05-11-2021	B. W. T : 2.0m below from E. G. L.

RL/ THICKNESS	SOIL STRATA	BORELOG	SAMPLING FROM (m)	SAMPLING TO (m)	SPT-N Value Blow/300mm 0-150 (mm)	150-300 (mm)	300-450 (mm)	N	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Remarks
7.5m	Gray, loose to medium dense, Silt, ML.		28.5	28.95	4	6	5	11	D-19	11	
			30	30.45	4	6	6	12	D-20	12	
			31.5	31.95	4	5	6	11	D-21	11	
			33	33.45	5	6	10	16	D-22	16	
			34.5	34.95	7	11	16	27	D-23	27	
			36	36.45	10	18	23	41	D-24	41	
			37.5	37.95	12	21	29	50	D-25	50	
18.45m	Gray, medium dense to very dense, Silty Sand, SM.		39	39.45	15	30	20	50	D-26	50/290	
			40.5	40.95	17	35	15	50	D-27	50/175	
			42	42.45	20	50		50	D-28	50/150	
			43.5	43.95	23	50		50	D-29	50/140	
			45	45.45	15	20	27	47	D-30	47	
			46.5	46.95	16	23	26	49	D-31	49	
			48	48.45	18	27	23	50	D-32	50/280	
			49.5	49.95	20	33	17	50	D-33	50/200	
			51	51.45	21	50		50	D-34	50/150	

RL WITH RESPECT TO TOPOGRAPHIC SURVEY.

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SILT | PEAT/HIGHLY ORGANIC SOIL | UNDISTURBED SAMPLE

MICACEOUS FINE SAND/SILT | SAND | SHALE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS. AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED