A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: .Konostola , Konostola, Guliara , Sadar, Comilla.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 1.35m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 01-04-2012.	G. W. T : 3.05m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Brown 7.5YR (5/3), high plasticity, medium stiff, silty Clay, CH.		UD-1, UD-2, UD-3	D-1, D-2, D-3	7, 7, 7		
2.0m	Gray 7.5YR (6/1), medium plasticity, medium stiff, silty Clay, CL.		UD-4	D-4, D-5	9, 12		
10.0m	Reddish Yellow 7.5YR (6/6), medium dense to very dense, fine Sand, SM.			D-6, D-7, D-8, D-9, D-10	27, 32, 37, 45, 40		
6.45m	Reddish Yellow 7.5YR (6/6), medium dense to dense, Silt, ML.			D-11, D-12, D-13, D-14, D-15, D-16, D-17	35, 17, 12, 14, 15, 16, 18		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SAND | SILT | SHALE

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED