A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Jahajmara, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 30.0m	R. L.: 0.76m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 05-06-2006	G. W. T : Rain water.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Light gray 10YR (7/2), medium plastic, very soft, silty Clay, CL.		UD-1	D-1, D-2	2, 2		
4.0m	Light gray 10YR (7/2), very loose to loose, sandy Silt, SM.			D-3, D-4, D-5, D-6	3, 3, 4, 11		
3.0m	Light gray 10YR (7/2), medium dense, fine sand, SM.			D-7, D-8, D-9	14, 11, 8		
3.0m	Gray 10YR (6/1), medium dense, sandy Silt, SM.			D-10, D-11	8, 14		
3.0m	Gray 10YR (6/1), medium dense, fine sand with mica, SM.			D-12, D-13	13, 12		
4.5m	Gray 10YR (6/1), medium dense, cohesionless silt, SM			D-14, D-15	12, 13		
4.5m	Gray 10YR (6/1), medium plastic, medium stiff to stiff, silty Clay, CL.			D-16, D-17, D-18, D-19	9, 16, 17, 18		
6.45m	Gray 10YR (6/1), dense, cohesionless silt, SM			D-20, D-21, D-22, D-23	18, 21, 21, 24		

0 10 20 30 40 50 60 70 80

0 20 40 60 80 100

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-2	
	LOCATION : Jahajmara, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 30.0m	R. L.: 0.76m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 06-06-2006	G. W. T : Rain water.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

A2 PROSOIL	BOREHOLE NO: BH-3	
	LOCATION : Jahajmara, Hatia, Noakhali.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 30.0m	R. L.: 0.76m below from Road Level.
CLIENT : TM International, Bangladesh Ltd.	DATE OF BORING : 05-06-2006	G. W. T : Rain water.



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED