A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION : 108, Bordon Bari, Horirampur, Mirpur, Dhaka-1216.	
PROJECT : Proposed Eight (8) Storied Building.		DEPTH OF BORING : 15.0m	R. L.: Road Level.
CLIENT : Alam & Associates.		DATE OF BORING : 12-05-2009.	G. W. T : 0.46m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light gray 10YR (7/1), medium plastic, very soft, silty Clay, CL.		UD-1, UD-2	D-1, D-2, D-3	2, 1, 2		
1.0m	Light gray 10YR (7/2), very loose to medium dense, cohesionless silt, SM.		UD-4	D-4	7		
6.5m	Light gray 10YR (7/1), medium plastic, medium stiff to very stiff, silty Clay, CL.			D-5, D-6, D-7, D-8	6, 8, 7, 8		
3.0m	Light gray 10YR (7/2), dense to very dense, silty Sand, SM.			D-9, D-10	22, 32		
1.95m	Light gray 10YR (7/2), very dense, fine sand, SM.			D-11, D-12	35, 40		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED