A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Thana: Tala, Zilla: Satkhira.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 0.53m below from Road Level.
CLIENT : Grameen phone Ltd.	DATE OF BORING : 18-03-2005	G. W. T : 2.74m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Light brownish gray colour 10YR (6/2), medium plastic, soft, silty Clay, CL.			D-1 to D-3	3, 3, 1		
6.0m	Gray colour 10YR (5/1), non plastic, very loose, sandy Silt, SM.			D-4 to D-7	1, 1, 1, 1		
1.5m	Gray colour 10YR (5/1), low plastic, very soft, clayey Silt, ML.			D-8 to D-9	1, 3		
6.0m	Gray colour 10YR (5/1), very loose to loose, silty Sand, SM.			D-10 to D-12	4, 3, 2		
4.95m	Gray colour 10YR (5/1), medium dense, fine sand, SM.			D-13 to D-16	7, 12, 8, 8		



ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED