
A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : House-40, Block-H, Road-4, Aftabnagar, Dhaka.	
PROJECT : Proposed Six Storied Building.	DEPTH OF BORING : 25.5m	R. L.: Road Level.
CLIENT : MR. Bakhtiar Hossain.	DATE OF BORING : 26-06-2008.	G. W. T : 0.91m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Brown 10YR (5/3), loose, fine sand, SM.			D-1 to D-2	4, 3		
1.0m	Gray 10YR (6/1), loose, fine sand with mica, SM.			D-3	5		
3.0m	Gray 10YR (6/1), loose, fine sand, SM.			D-4 to D-6	4, 5, 3		
1.5m	Gray 10YR (6/1), medium plastic, soft to medium stiff, silty Clay, CL.			D-7	7		
1.5m	Dark gray 10YR (4/1), medium plastic, medium stiff to stiff, silty Clay, CL.			D-8	11		
16.95m	Pale brown 10YR (6/3), medium plastic, stiff to very stiff, silty Clay, CL.			D-9 to D-19	13, 14, 17, 22, 16, 19, 14, 15, 14, 14, 16		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED